

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 22nd October 1936, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts	.. 20,00,000	By Cash in hand and at Bankers	.. 30,63,861
„ Reserve Fund	.. 24,25,000	„ Loans and Cash Credit Accounts	1,54,45,919
„ Public and other Deposits	.. 2,30,52,101	„ Bills discounted	.. 3,26,502
„ Sundries	.. 4,53,568	„ Investments	.. 83,47,845
		„ Balance at Agencies	
		„ Dead Stock	.. 6,30,668
		„ Sundries	.. 1,15,874
Total	.. 2,79,30,669	Total	.. 2,79,30,669
(Annas and Pies omitted.)			

BANGALORE,
Dated 25th October 1936.

M. H. DASTUR,
Offg. Manager.

“I intend moving the Hon’ble the High Court of Mysore to enrol me as an Advocate thereof.
N. T. LAKSHMANA GOWDA, B.A., LL.B.”

“I intend moving the Hon’ble the High Court of Mysore to enrol me as an Advocate thereof.
GULUR SREENIVASA RAO.”

“I intend to move the Hon’ble the High Court to enrol me as an Advocate.
N. S. NARAYANA RAO, B.A., B.L.”

“I intend moving the honourable the High Court of Mysore to enrol me as an Advocate thereof.”
K. PATTABHI RAMAN, B.A., B.L.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE.

Memo No. G. C. 113/36, dated Bangalore, the 21st October 1936.

Police Constable 229 Mohamed Hayath of Hassan District Police is permitted to change his name to A. Hayath Sab.

F. A. HAMILTON,
Inspector-General of Police.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 7033-53, dated 5th October 1936.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1997.

FOREIGN MAINTENANCE MATERIALS FOR 1936-37.

Switches, etc.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials:—

1. All Bakelite Switches, surface pattern single pole, quick-make-and-break action, 250 volts, size 5 amps. .. 750
2. Do do do 10 amps. .. 75
3. Surface Tumbler Switch with insulating covers and closed base and quick making and breaking springs, double pole, size 10 amps., 250 volts .. 125

No. S. P. C. 7357-70, dated 10th October 1936.

To

The Firms dealing in Transformer Oils.

Enquiry No. 2008.

FOREIGN MAINTENANCE MATERIALS FOR 1936-37.

Transformer Oils.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following material:—

4,600 Imperial Gallons of Oil for high tension Transformers to be supplied in light 40 Imperial Gallon sealed, steel non-returnable drums.

The oil should be of a clear light amber colour and be suitable for a continuous use in high tension transformers operating at a temperature of 75°C. The oil should be suitable for mixing with large quantities of oil now in service and on hand, having the following characteristics without any injurious effects:—

- | | | | | | |
|-------------------------|----|----|----|----|--|
| 1. Flash Point | .. | .. | .. | .. | 130°C. |
| 2. Burning Point | .. | .. | .. | .. | 155°C. |
| 3. Freezing Point | .. | .. | .. | .. | —50°C. |
| 4. Specific Gravity | .. | .. | .. | .. | .89 |
| 5. Viscosity at 40°C. | .. | .. | .. | .. | 53 seconds (say-bolt). |
| 6. Neutralization value | .. | .. | .. | .. | Not more than .05 mgs. of KOH per gram of oil. |
| 7. Alkalies | .. | .. | .. | .. | None. |
| 8. Corrosive sulphur | .. | .. | .. | .. | None. |
| 9. Di-electric strength | .. | .. | .. | .. | Not less than 22 KV. when tested with 1" flat discs with square edges spaced .1" apart |
| | | | | | or |
| | | | | | 40 KV. when tested with .5" diameter discs spaced .2" apart |
| | | | | | or |
| | | | | | 44 KV. when tested with .5" diameter spheres spaced .15" apart. |

You should furnish actual values of the characteristics of the oil offered by you and should guarantee that the oil offered will mix freely with the transformer oil now in service without injurious effects.

The price to be quoted should be for delivery C.I.F. Madras and also F.O.B. Foreign Port.

The enquiry will close on the 5th of December 1936.

No. S. P. C. 8005-8025, dated 19th October 1936.

To

The Firms dealing in Gun Powder.

Enquiry No. 2009.

GUN POWDER.

GENTLEMEN,

Please be good enough to intimate your best price and the earliest time of delivery for the material described below.

1,000 lbs. of good and dry gun powder.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

- (1) The quotation should be for one lb. of the material delivered F.O.R., Mandya Railway Station, Mysore Railways.
- (2) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy

of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Gun Powder" and sent to the undersigned with the above enquiry number.

This enquiry will be closed on the 30th November 1936.

No. S. P. C. 7996-8004, dated 15th October 1936.

To

The Firms dealing in Machinery and Hardware Materials.

Enquiry No. 2010.

SAWS, GAUGE GLASSES.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule noted below.

Item No.	Description of material offered	Quantity	Place of delivery
1	Silver Steel "Circular Saws" 36" diameter $1\frac{1}{2}$ " bore, 60 teeth and 11 gauge, suitable for ripping soft and hard-wood ..	8	F. O. R., Shimoga Station
2	Silver Steel "Frame Saws" 5'-3 $\frac{1}{4}$ " long, 4 $\frac{3}{4}$ " wide and 14 gauge ..	16	
3	Cross cutting hand saws big 6' long ..	6	
4	Carborandum wheels 12" dia. $\frac{1}{2}$ " thick, $\frac{3}{8}$ " Bore and 46 N Grade of Carborandum make Manchester ..	12	
5	Boiler gauge glasses with rubber rings for above; glasses to be 9" long $\frac{1}{2}$ " Dia. (outer) ..	2 dozs.	
	Rubber Rings suitable for the above glasses ..	6 "	

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

- (1) The prices to be quoted should be for delivery F.O.R., Shimoga.
- (2) The names of manufacturers of the materials offered should be clearly indicated in the quotation.
- (3) The earliest time within which the materials offered will be supplied should also be indicated in the quotation.
- (4) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Saws, Gauge Glasses, Rings, etc." and sent to the undersigned with the above enquiry number.

This enquiry will be closed on the 30th November 1936.

No. S. P. C. 7970-7995, dated 20th October 1936.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2011.

ELECTRIC PUMPING SET, ETC., FOR GANJAM WATER WORKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

SPECIFICATION FOR THE ELECTRIC PUMPING UNIT FOR GANJAM WATER SUPPLY.

The pumping unit should consist of one electric motor directly coupled to a centrifugal pump capable of discharging 60 gallons per minute against a head of 240 feet.

Motor.—The motor should be suitable for 220 volts, 25 cycle, 3 phase, A. Current.

The motor should be drip proof and suited for the tropical country and should be provided with suitable starter.

Pump.—The pump should preferably be with horizontal split casing and should have ball-bearings. Sleeves should be provided for at the glands which in turn may be split also. It should deliver 60 gallons per minute against 240 feet head from all causes. The overall efficiency should be as high as possible. The pump should have phosphor bronze impeller and renewable phosphor bronze sleeves and neckrings.

A common C. I. bed plate to take in both the motor and pump should be included and the same fixed with correct alignment providing necessary dowels on the pump and motor.

The coupling should be of flexible type.

Necessary air escape cocks and charging bowls, etc., should also be provided for.

In addition to the motor and pump, the following materials should be supplied :—

- (1) One foot valve suitable to the pump,
- (2) One delivery sluice valve,
- (3) One reflux valve,
- (4) One 6" pressure gauge up to 300 ft. head.

The quotation should be for delivery *F. O. R., Seringapatam.*

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Electric Pumping Set, etc., for Ganjam Water Supply" with the above enquiry Number.

This enquiry will be closed on the 17th December 1936.

No. S. P. C. 8178-8197, dated 20th October 1936.

To

The Firms dealing in Hay Baling Wire.

Enquiry No. 2014.

HAY BALING WIRE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best price and the earliest time of delivery for the material described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hay Baling Wire" with the above enquiry Number.

This enquiry will be closed on the 10th November 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
	Black annealed Hay Baling wire No. 14 Gauge..	30 Cwts.	Chikka Banavar, M. & S. M. Railway.	

No. S. P. C. 8198-8205, dated 19th October 1936.

To

*The Firms dealing in Timber.**Enquiry No. 2015.*

RED VEPU PLANKS REQUIRED FOR PACKING SOAP CASES.

GENTLEMEN,

Please be good enough to quote your best present day prices for planks conforming to the attached specifications and measurements required for making 10,000 packing cases of different varieties and intimate the earliest time within which you will deliver the planks if an order is placed.

The quotation should be for delivery F.O.R., Bangalore City.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to the specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to a levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotation should be superscribed "Quotation for 'Red Vepu' Planks for Packing Cases" and sent to the undersigned with the above enquiry number.

The enquiry will be closed on 2nd November 1936.

Specifications.

1. All planks should be of "Red Vepu" only.
2. All planks should be planed on one side.
3. The planks should be free from knots and other defects.
4. Side and top planks should not have more than two pieces; but all end planks should be of one piece only.
5. When the case is prepared, the grains of planks should be horizontal and not vertical.
6. Measurements of planks should be as per list noted below.

*Size No. 1.**Measurements.*

(Toilet soap case).

					L.	B.	H.
Inside measurements	..	..	..	..	20 $\frac{3}{4}$ "	14"	12 $\frac{5}{8}$ "

Sizes of planks required.—

					L.	B.	Thickness.
2 end planks	..	..	..	..	12 $\frac{5}{8}$ "	14"	× $\frac{3}{4}$ " each.
2 side planks	..	..	..	..	23 $\frac{3}{4}$ "	13 $\frac{5}{8}$ "	× $\frac{1}{2}$ " "
2 top and bottom planks	..	..	..	..	22 $\frac{1}{4}$ "	14"	× $\frac{1}{2}$ " "
4 Battens	..	..	..	..	13 $\frac{5}{8}$ "	2"	× $\frac{3}{4}$ " "

Size No. 2.

(Washing soap case).

					L.	B.	H.
Inside measurements	..	..	..	..	18 $\frac{3}{4}$ "	15"	10"

Size of planks required.—

					L.	B.	Thickness.
2 end planks	..	..	..	..	15"*	10"	× $\frac{3}{4}$ " each.
2 side planks	..	..	..	..	21 $\frac{3}{4}$ "	11"	× $\frac{1}{2}$ " "
2 top and bottom planks	..	..	..	..	15"	20 $\frac{1}{4}$ "	× $\frac{1}{2}$ " "
4 battens	..	..	..	..	11"	2"	× $\frac{3}{4}$ " "

Size No. 3.

(Mysore bath tablet case).

					L.	B.	H.
Inside measurements	..	..	..	..	19 $\frac{1}{2}$ "	13 $\frac{1}{4}$ "	12 $\frac{1}{4}$ "

Size of planks required.—

					L.	B.	Thickness.
2 end planks	..	..	..	..	12 $\frac{1}{4}$ "	13 $\frac{1}{2}$ "*	× $\frac{3}{4}$ " each.
2 side planks	..	..	..	..	22 $\frac{1}{2}$ "	13 $\frac{1}{4}$ "	× $\frac{1}{2}$ " "
2 top and bottom planks	..	..	..	..	21"	13 $\frac{1}{4}$ "	× $\frac{1}{2}$ " "
4 battens	..	..	..	..	13 $\frac{1}{4}$ "	2"	× $\frac{3}{4}$ " "

Size No. 4.

(Toilet half case).

					L.	B.	H.
Inside measurements	..	..	..	..	20 $\frac{3}{4}$ "	14"	6 $\frac{1}{4}$ "
					L.	B.	Thickness.
Size of planks required.—							
2 end planks	..	..	..	..	14"	6 $\frac{1}{4}$ "	× $\frac{3}{4}$ " each.
2 side planks	..	..	..	..	23 $\frac{3}{4}$ "	7 $\frac{1}{4}$ "	× $\frac{1}{2}$ " "
2 top and bottom planks	..	..	..	..	22 $\frac{1}{4}$ "	14"	× $\frac{1}{2}$ " "
4 battens	..	..	..	..	7 $\frac{1}{4}$ "	2"	× $\frac{3}{4}$ " "

Size No. 5.

(Bar soap cases).

					L.	B.	H.
Inside measurements	..	..	..	..	20"	10"	14 $\frac{1}{4}$ "
					L.	B.	Thickness.
Sizes of planks required.—							
2 end planks	..	..	..	..	14 $\frac{1}{4}$ "	10"	× $\frac{3}{4}$ " each
2 side planks	..	..	..	..	23"	11"	× $\frac{1}{2}$ " "
2 top and bottom planks	..	..	..	..	21 $\frac{1}{2}$ "	14 $\frac{1}{4}$ "	× $\frac{1}{2}$ " "
4 battens	..	..	..	..	11"	2"	× $\frac{3}{4}$ " "

* Measurements along with the grains of wood.

Yours faithfully,

V. VEDAVYASACHARYA,

Secretary,

Stores Purchase Committee.

No. S. P. C. 7890, dated 13th October 1936.

NOTICE.

Enquiry No. 1897.

SUPPLY OF SURGICAL INSTRUMENTS.

It is notified for the information of the tendering firms that the last date for receipt of tenders in respect of the above enquiry is postponed to 30th November 1936 from 19th October 1936 as originally notified.

Such of the firms as have already submitted their tenders are at liberty to make alterations, corrections or any further modifications to their tenders and communicate the same so as to reach this office on or before the 30th November 1936.

No. S. P. C. dated 12th October 1936.

NOTICE.

Enquiry No. 2002.

SUPPLY OF CASTOR OIL REQUIRED FOR THE MEDICAL STORES.

Sealed tenders will be received by the undersigned for the supply of 12,000 lbs. of pure castor oil required for the Medical Stores during 1937-38, up to 5 P.M. on the 5th December 1936.

Tenders will be subject to the following conditions:—

- (1) The quantity noted above is only approximate and not guaranteed. The total quantity to be purchased shall be deemed to be limited to the actual quantities drawn on indent from time to time.
- (2) The prices should hold good for a period of one year from the date of letting the contract. Applications for extension of prices due to whatever causes will not be considered during the period.
- (3) The oil will be supplied in tins of 38 lbs. net weight and the price should be quoted

- (4) The oil offered should be pure and free from adulteration or other impurities. It should also be free from bad smell and taste.
- (5) Samples should be submitted in duplicate. One sample thereof will be got tested and analysed at the expense of the tenderer and the cost of such test, viz., Rs. 15 per sample should be remitted to this office along with the tender.
- (6) All indents from the Superintendent, Medical Stores, will be required to be complied with seven days from their receipt.
- (7) Supplies made otherwise than according to the accepted quality will be rejected at the risk of the contractors, who should replace the rejected supplies by those conforming to the approved sample.
- (8) Failure to make supplies in time and satisfactorily will entail cancellation of the order and forfeiture of the Security Deposit specified in the following clause. The Stores Purchase Committee will, in such an event, be at liberty to purchase the oil from other sources, the extra cost, if any, being debited to contractors, in addition to the levy of a penalty of 3 per cent of the value of the contract, as and by way of liquidated damages.
- (9) Successful tenderers will be required to execute an agreement, undertaking to abide by the above conditions and also to deposit an amount equal to 5 per cent of the value of the contract, as security for the proper performance of the contract.
- (10) Withdrawal from tender before acceptance or thereafter, or failure to execute the agreement and furnish the requisite deposit will entail removal of the tenderer's name from the list of approved firms.

No. S. P. C. 8561, dated 24th October 1936.

NOTICE.

Enquiry No. 2039.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of iron and steel materials required for the construction of a Wheel Shop at the Railway Central Workshop area, Mysore, up to the 7th December 1936.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rupees three (Rs. 3) which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, both in India and in Foreign Countries during the week ending Saturday the 29th August 1936.

Indent & Enquiry No.	Name of Article	Quantity	Name of Firm	Value of Order
<i>Local.</i> 3808	Carbon paper 13" x 8" Typewriting		Messrs.—	Rs. a. p.
—Extn. 1748	Purple ..	10 Reams	T. M. Abdul Gaffoor & Co., Bangalore City.	10 8 0 per ream of 500 sheets Free delivery at Bangalore.
	Black ..	20 "		
Do	Carbon paper 13" x 8½" Bharat	35 "	The Bharat Carbon & Ribbon Manufacturing Co., Karachi.	9 0 0 per ream f.o.r., Bangalore.
Do	"AA" quality—black			
	Carbon paper 13" x 8" Quality 5040	35 "	W. Koreska, Calcutta	6 0 0 do
	Black.			
3834	Tyres, Goodrich for Motor Lorries		Byramshaw's Agencies, South Parade, Bangalore.	216 11 0 lot, free delivery at Bangalore.
	Size 32 x 6	Two		
1909	" 30 x 5	Two		142 3 0 do do
3510 Extn.	Elavo Wood planks, well seasoned and cut exactly to the sizes			
	25" x 11½" x ¾"	400 planks	Parry & Co., Ltd., Bangalore	1 10 0 per C.ft. f.o.r., Ban- galore.
	10" x 11½" x ¾"	200 "		
3508 Extn.	Microscopes "Kima"	Two	Watson & Co., Bangalore	224 7 0 each f.o.r., Bangalore
3435	Lamp Black "Bell Brand" in 7 lb. packets.	4 cwt.		44 0 0 per cwt. f.o.r., My- sore at R.M.C. rates
—Extn. 1576				